according to Regulation (EC) No 1907/2006

Grizzly	Weißes-Sprühfett 500ml
---------	------------------------

Print date: 18.11.2014

Product code: 11AFX39060004

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Grizzly Weißes-Sprühfett 500ml

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the	e safety data sheet	
Company name:	Ferdinand Gross GmbH & Co. KG	
Street:	Daimlerstraße 8	
Place:	D-70771 Leinfelden-Echterdingen	
Telephone:	+49(0)711 / 1604 - 0	Telefax: +49(0)711 / 1604 - 2609
e-mail:	info@schrauben-gross.de	
Internet:	www.schrauben-gross.de	
<u>1.4. Emergency telephone</u> number:	+ 49 (0) 30 / 30 686 790 (Poison Centre Berlin)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Indications of danger: F+ - Extremely flammable, Xi - Irritant, N - Dangerous for the environment R phrases: Extremely flammable. Irritating to skin. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Vapours may cause drowsiness and dizziness.

GHS classification

Hazard categories: Aerosol: Aerosol 1 Skin corrosion/irritation: Skin Irrit. 2 Specific target organ toxicity - single exposure: STOT SE 3 Hazardous to the aquatic environment: Aquatic Chronic 2 Hazard Statements: Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Hazardous components which must be listed on the label

Hydrocarbons, C6-C7, n-alkanes, isoalkanes cyclic, < 5% n-hexane

Signal word:	Danger
Pictograms:	GHS02-GHS07-GHS09
Hazard statements	
H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H315	Causes skin irritation.

according to Regulation (EC) No 1907/2006

	Grizzly Weißes-Sprühfett 500ml						
Print date: 18.11.2014	Product code: 11AFX39060004	Page 2 of 11					
H336	May cause drowsiness or dizziness.						
H411	Toxic to aquatic life with long lasting effects.						
Precautionary statem	ents						
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.						
P211	Do not spray on an open flame or other ignition source.						
P251	Do not pierce or burn, even after use.						
P260	Do not breathe Aerosol.						
P271	Use only outdoors or in a well-ventilated area.						
P273	Avoid release to the environment.						
P280	Wear protective gloves/protective clothing/eye protection/face protection.						
P302+P352	IF ON SKIN: Wash with plenty of water.						
P332+P313	If skin irritation occurs: Get medical advice/attention.						
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.						
P312	Call a POISON CENTER/doctor if you feel unwell.						
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.						

2.3. Other hazards

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification	
Index No	GHS classification	
REACH No		
921-024-6	Hydrocarbons, C6-C7, n-alkanes, isoalkanes cyclic, < 5% n-hexane	20 - < 25 %
	F - Highly flammable, Xn - Harmful, Xi - Irritant, N - Dangerous for the environment R11-38-51-53-65-67	
	Flam. Liq. 2, Skin Irrit. 2, STOT SE 3, Asp. Tox. 1, Aquatic Chronic 2; H225 H315 H336 H304 H411	
01-2119475514-35		
927-510-4	Hydrocarbons, C7, n-alkanes, iso-alkanes, cyclics	5 - < 10 %
	F - Highly flammable, Xn - Harmful, Xi - Irritant, N - Dangerous for the environment R11-38-51-53-65-67	
	Flam. Liq. 2, Skin Irrit. 2, STOT SE 3, Asp. Tox. 1, Aquatic Chronic 2; H225 H315 H336 H304 H411	
01-2119475515-33		
203-777-6	n-hexane	0.1 - < 1 %
110-54-3	Repr. Cat. 3, F - Highly flammable, Xn - Harmful, Xi - Irritant, N - Dangerous for the environment R11-62-48/20-65-38-67-51-53	
601-037-00-0	Flam. Liq. 2, Repr. 2, Skin Irrit. 2, STOT SE 3, STOT RE 2, Asp. Tox. 1, Aquatic Chronic 2; H225 H361f H315 H336 H373 H304 H411	

Full text of R-, H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Never give anything by mouth to an unconscious person or a person with cramps. Remove persons to

according to Regulation (EC) No 1907/2006

	Grizzly Weißes-Sprühfett 500ml						
Print date: 18.11.2014	Product code: 11AFX39060004	Page 3 of 11					
safety.							
	In case of accident or unwellness, seek medical advice immediately (show directions lata sheet if possible).						
	skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off intaminated clothing and wash it before reuse. If skin irritation occurs: Get medical						
	After contact with eyes After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.						
After ingestion Rinse mouth imme	ediately and drink plenty of water.						
	<u>nd effects, both acute and delayed</u> a, dizziness, fatigue, skin irritation						
4.3. Indication of any immediate Treat symptomatic	medical attention and special treatment needed cally.						
SECTION 5: Firefighting meas	sures						
5.1. Extinguishing media							
Suitable extinguishing media Carbon dioxide (C	CO2), Foam, Extinguishing powder.						
Unsuitable extinguishing med Full water jet	dia						
5.2. Special hazards arising from	the substance or mixture						

Flammable. Vapours can form explosive mixtures with air.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Danger of explosion

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

according to Regulation (EC) No 1907/2006

Grizzly Weißes-Sprühfett 500ml

Print date: 18.11.2014

Product code: 11AFX39060004

Page 4 of 11

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

Do not spray on naked flames or any incandescent material. Protect from sunlight. Do no expose to temperatures exceeding 50°C/122°F. Keep away from sources of ignition. - No smoking. Take precautionary measures against static discharge. Vapours can form explosive mixtures with air.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Advice on storage compatibility

Do not store together with: Oxidising agent. Pyrophoric or self-heating substances.

Further information on storage conditions

Protect from frost. Protect against direct sunlight.

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
	Hydrocarbons, C6-C7, n-alkanes, isoalkanes cyclic, < 5% n-hexane		1500		TWA (8 h)	
					STEL (15 min)	
	Hydrocarbons, C7, n-alkanes, iso-alkanes, cyclics		1500		TWA (8 h)	TRGS
					STEL (15 min)	TRGS
13463-67-7	titanium dioxide		3		TWA (8 h)	AGW
		-	-		STEL (15 min)	AGW
106-97-8	Butane	600	1450		TWA (8 h)	WEL
		750	1810		STEL (15 min)	WEL
110-54-3	n-Hexane	20	72		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

Additional advice on limit values

a no restriction b End of exposure or shift c in long-term exposure: after several shifts d prior to next shift

TWA (EC): time-weighted average U: Urea

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

according to Regulation (EC) No 1907/2006

Grizzly Weißes-Sprühfett 500ml

Print date: 18.11.2014

Product code: 11AFX39060004

Page 5 of 11

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Aerosol		
Colour:	white		
Odour:	solvent like		
			Test method
pH-Value (at 20 °C):		not determined	DIN 19268
Changes in the physical state			
Melting point:		not determined	
Initial boiling point and boiling range:		-40 °C	
Sublimation point:		No information available.	
Softening point:		No information available.	
Flash point:		-80 °C	
Flammability			
Solid:		not applicable	
Gas:		not applicable	
Lower explosion limits:		1 vol. %	
Upper explosion limits:		11 vol. %	
Ignition temperature:		No information available.	
Auto-ignition temperature			
Solid:		not applicable	
Gas:		not applicable	
Decomposition temperature:		not determined	
Oxidizing properties Not oxidizing.			
Vapour pressure:		not determined	
Vapour pressure:		No information available.	
Density (at 20 °C):		0,783 g/cm³	DIN 51757
Bulk density:		No information available.	

according to Regulation (EC) No 1907/2006

Grizzly Weißes-Sprühfett 500ml							
int date: 18.11.2014	Product code: 11AFX39060004	Page 6 of 11					
Water solubility:	insoluble						
Solubility in other solvents not determined							
Partition coefficient:	not determined						
Viscosity / dynamic:	No information available.						
Viscosity / kinematic:	No information available.						
Flow time:	No information available.						
Vapour density:	not determined						
Evaporation rate:	not determined						
Solvent separation test:	No information available.						
Solvent content:	No information available.						
2. Other information							
Solid content:	not determined						

Density Data apply to the technically active substance. pressure $\ -$ bar (20°C)

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable, Ignition hazard.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

Further information

Do not mix with other chemicals.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No information available.

Acute toxicity

Based on available data, the classification criteria are not met.

according to Regulation (EC) No 1907/2006

Grizzly Weißes-Sprühfett 500ml

Print date: 18.11.2014

Product code: 11AFX39060004

Page 7 of 11

Acute toxicity

CAS No	Chemical name								
	Exposure routes	Method	Dose	Species	Source				
	Hydrocarbons, C6-C7, n-alkanes, isoalkanes cyclic, < 5% n-hexane								
	oral LD50 > 5000 mg/kg Rat								
	dermal LD50 > 2000 mg/kg Rabbit								
	inhalative (4 h) vapour	LC50	> 23,3 mg/l	Rat					
	Hydrocarbons, C7, n-alkanes, iso-a	lkanes, cycl	lics						
	oral	LD50	5500 mg/kg	Rat					
	dermal	LD50	2770 mg/kg	Rat					
	inhalative (4 h) vapour	LC50	23,3 mg/l	Rat					
110-54-3	n-hexane	-							
	dermal LD50 > 2000			Rabbit					
	inhalative (4 h) vapour	LC50	Rat						

Irritation and corrosivity

Causes skin irritation.

Sensitising effects

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause drowsiness or dizziness. (Hydrocarbons, C6-C7, n-alkanes, isoalkanes cyclic, < 5% n-hexane), (Hydrocarbons, C7, n-alkanes, iso-alkanes, cyclics), (n-hexane)

Severe effects after repeated or prolonged exposure

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

No indication of human carcinogenicity.

No indications of human germ cell mutagenicity exist.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No information available.

Additional information on tests

This mixture is classified as hazardous according to regulation (EC) No. 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

according to Regulation (EC) No 1907/2006

Grizzly Weißes-Sprühfett 500ml

Print date: 18.11.2014

Product code: 11AFX39060004

Page 8 of 11

CAS No	Chemical name							
	Aquatic toxicity	Method	Dose	[h] [d]	Species	Source		
	Hydrocarbons, C6-C7, n-alkanes, isoalkanes cyclic, < 5% n-hexane							
	Acute fish toxicity LC50 > 1-10 mg/l 96 h Pimephales promelas							
	Acute algae toxicity	ErC50 mg/l	> 10 - 100	72 h	Pseudokirchneriella subcapitata			
	Acute crustacea toxicity	EC50	> 1-10 mg/l	48 h	Daphnia magna			
	Hydrocarbons, C7, n-alkanes,	iso-alkanes,	cyclics					
	Acute fish toxicity	LC50	>1 - 10 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)			
	Acute algae toxicity	ErC50 mg/l	>10 - 100	72 h	Algae toxicity			
	Acute crustacea toxicity	EC50	>1 - 10 mg/l	48 h	Daphnia magna			
110-54-3	n-hexane							
	Acute fish toxicity	LC50	> 10 mg/l	96 h	Pimephales promelas			
	Acute algae toxicity	ErC50	9,9 mg/l	72 h	Pseudokirchneriella subcapitata			
	Acute crustacea toxicity	EC50	30 mg/l	48 h	Daphnia magna			
	Algea toxicity	NOEC	2,077 mg/l	3 d	Pseudokirchneriella subcapitata			
	Acute bacteria toxicity	(48,39 m	ng/l)	0 h	Tetrahymena pyriformis			

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name				
	Method	Value		d	Source
	Evaluation	•			
110-54-3	n-hexane				
	OECD Guideline 301 F	81%		28	
	Easily biodegradable (concerning to the criteria of the OECD)				

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
	Hydrocarbons, C6-C7, n-alkanes, isoalkanes cyclic, < 5% n-hexane	3,4 - 5,2
110-54-3	n-hexane	3,9

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

according to Regulation (EC) No 1907/2006

		according to Regulation (EC) No 1907/2006	
		Grizzly Weißes-Sprühfett 500ml	
Print date: 18.	.11.2014	Product code: 11AFX39060004	Page 9 of 11
Advice on	-		
	Do not allow to enter into s waste according to applica	surface water or drains. Do not allow to enter into soil/subsoil. Dispose of ble legislation.	
	-	residues/unused products	
160504		SE SPECIFIED IN THE LIST; gases in pressure containers and discarded ure containers (including halons) containing dangerous substances aste.	
Waste dis	posal number of used produ	JCt	
160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing dangerous substances Classified as hazardous waste.			
Waste dis	posal number of contamina	ted packaging	
150104	WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); metallic packaging		
Contamin	ated packaging		
		es may be recycled. Handle contaminated packages in the same way as the	
SECTION 14	I: Transport information		
and transpo	rt (ADR/RID)		
<u>14.1. UN n</u>	umber:	UN 1950	
14.2. UN proper shipping name:		AEROSOLS	
14.3. Transport hazard class(es):		2	
14.4. Packing group:		-	
Hazard label:		2.1	
Classification code:		5F	
Special Provisions:		190 327 344 625	
Limited quantity:		1L	
Transport category:		2	
	triction code:	D	
	liashis information /land too		

Other applicable information (land transport)

Limited quantity: E0

Inland waterways transport (ADN)

<u>14.1. UN number:</u>	UN 1950
14.2. UN proper shipping name:	AEROSOLS
14.3. Transport hazard class(es):	2
14.4. Packing group:	-
Hazard label: Classification code: Special Provisions: Limited quantity:	2.1 5F 190 327 344 625 1 L
Other applicable information (inland wa Limited quantity: E0	terways transport)
Marine transport (IMDG)	
<u>14.1. UN number:</u>	UN 1950
14.2. UN proper shipping name:	AEROSOLS

according to Regulation (EC) No 1907/2006

	Grizzly Weißes-Sprühfett 500ml		
Print date: 18.11.2014	Product code: 11AFX39060004 Page 10		
14.3. Transport hazard class(es):	2.1		
14.4. Packing group:	-		
Hazard label:	2.1		
Marine pollutant:	yes		
Special Provisions:	63, 190, 277, 327, 344, 959		
Limited quantity: EmS:	1000 mL		
Cino. Other applicable information (marine tr	F-D, S-U ransport)		
Limited quantity: E0			
Air transport (ICAO)			
<u>14.1. UN number:</u>	UN 1950		
14.2. UN proper shipping name:	AEROSOLS, flammable		
14.3. Transport hazard class(es):	2.1		
14.4. Packing group:	-		
Hazard label:	2.1		
Special Provisions:	A145 A167 A802		
Limited quantity Passenger:	30 kg G		
IATA-packing instructions - Passenger:	203		
IATA-max. quantity - Passenger:	75 kg		
IATA-packing instructions - Cargo: IATA-max. quantity - Cargo:	203 150 kg		
Other applicable information (air transp Limited quantity: E0 Passenger-LQ: Y203			
14.5. Environmental hazards			
ENVIRONMENTALLY HAZARDOUS:	yes		
Danger releasing substance:	PETROLEUM DISTILLATES, N.O.S.		
14.6. Special precautions for user Warning: Flammable gases.			
<u>14.7. Transport in bulk according to Annex</u> not applicable			
SECTION 15: Regulatory information			
	ulations/legislation specific for the substance or mixture		
EU regulatory information			
1999/13/EC (VOC):	No information available.		
Additional information			
	g to Regulation (EC) No. 1907/2006 (REACH)		
National regulatory information			
Employment restrictions:	Observe employment restrictions for young people.		
Water contaminating class (D):	1 - slightly water contaminating		
	enzene content of the product is less than 0.1%. It applies the annotation s carcinogenic is not necessary.	P.	
15.2. Chemical safety assessment	going to not not could up.		
Total onemical safety assessment			

Chemical safety assessments for substances in this mixture were not carried out.

according to Regulation (EC) No 1907/2006

Grizzly Weißes-Sprühfett 500ml

Print date: 18.11.2014

Product code: 11AFX39060004

Page 11 of 11

SECTION 16: Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IATA: International Air Transport Association IMDG: International Maritime Code for Dangerous Goods GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL/DMEL: Derived No Effect Level / Derived Minimal Effect Level WEL (UK): Workplace Exposure Limits TWA (EC): Time-Weighted Average ATE: Acute Toxicity Estimate STEL (EC) Short Term Exposure Limit LC50: Lethal Concentration EC50: half maximal Effective Concentration ErC50: means EC50 in terms of reduction of growth rate

Relevant R-phrases (Number and full text)

- 11 Highly flammable.
- 38 Irritating to skin.
- 48/20 Harmful: danger of serious damage to health by prolonged exposure through inhalation.
- 51 Toxic to aquatic organisms.
- 53 May cause long-term adverse effects in the aquatic environment.
- 62 Possible risk of impaired fertility.
- 65 Harmful: may cause lung damage if swallowed.
- 67 Vapours may cause drowsiness and dizziness.

Relevant H- and EUH-phrases (Number and full text)

H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H361f	Suspected of damaging fertility.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)